3/2 Compact Pilot Operated Limit Switches

7/64" I.D. Internal Orifice, 5/32" Instant Connections, Pipeable Exhaust Port

	Actuator	Type of Switching*	Flow SCFM (Nl/min)	Nominal Bore	Connection	Part Number
	Steel Plunger Operating Levers Available	NNP	8.8 (250)	7/64" (2.5mm)	5/32" instant	**PXCM601A110**
	Steel Roller Plunger					**PXCM601A102**
	90° Steel Roller Plunger					**PXCM601A103**

Standard Duty Limit Switches – "K" Series

Plunger Operated Limit Switches

1/8" I.D. Internal Orifice, 5/32" Instant Connections, Pipeable Exhaust Port

	Actuator	Type of Switching*	Flow SCFM (Nl/min)	Nominal Bore	Connection	Part Number
	Steel Plunger	NNP	7.4 (210)	1/8" (3mm)	5/32" instant	**PXCK21101**
		NP				**PXCK22101**
	Steel Roller Plunger	NNP				**PXCK21102**
		NP				**PXCK22102**
	Plastic Roller Plunger	NNP				**PXCK21121**
		NP				**PXCK22121**
	Cats Whisker	NNP				**PXCK21106**
		NP				**PXCK22106**

* NNP: Normally non-passing. 

☐ **Most popular.**

Roller Operated Limit Switches

1/8" I.D. Internal Orifice, 5/32" Instant Connections, Pipeable Exhaust Port

	Actuator	Type of Switching*	Flow SCFM (Nl/min)	Nominal Bore	Connection	Part Number
	Fixed Delrin Roller Lever Multi-Function Head Actuates: - from Right and Left - from Right - from Left	NNP	7.4 (210)	1/8" (3mm)	5/32" Instant	**PXCK2110031**
		NP				**PXCK2210031**
	Adjustable Delrin Roller Lever Multi-Function Head Actuates: - from Right and Left - from Right - from Left	NNP				**PXCK2110041**
		NP				**PXCK2210041**


Separate Pneumatic Switch Bodies

	Actuator	Type of Switching*	Part Number
	For Use with Zck Series Operating Heads	NNP	**PXCK211**
		NP	**PXCK221**


Pneumatic Switch Bodies with Rotary Heads

	Actuator	Type of Switching*	Part Number
	Multi-Function Head Actuates: - from Right and Left - from Right - from Left	NNP	**PXCK21100**
		NP	**PXCK22100**

Field Conversion of Rotary Operating Head




* NNP: Normally non-passing.
NP: Normally passing.




Most popular.

K Series


PXCK21101, PXCK22101




PXCK21102, PXCK22102




PXCK21121, PXCK22121




PXCK21106, PXCK22106



PXCK2110031, PXCK2210031




PXCK2110041, PXCK2210041



Pneumatic Switch Bodies


PXCK211, PXCK221




	inch	mm
a	.39	10
b	.77	19.5
c	.35	9
d	.61	15.5
e	.87	22
r	1.66	29.5

Rotary Heads with Operating Levers

ZCKY81



ZCKY91



For inventory, lead times, and kit lookup, visit www.pdnplu.com

Parker Hannifin Corporation
Pneumatic Division
Richland, Michigan
www.parker.com/pneumatics